

D1384-aQ110-7



High Power Acousto-Optic Deflector

0718

The D1384-aQ110 is high speed, high efficiency AO deflector developed specifically for industrial laser applications. Also available in a dual axis X-Y configuration.

Material Processing

Drilling

Surface texturing

Micro machining

SPECIFICATIONS

Operating Wavelength: 515nm or 532nm, as specified

Centre Frequency (fc): 110MHz (+/- 5% for best scan response)

RF Bandwidth: 30MHz minimum, 40MHz typical

 $\begin{array}{ll} \mbox{Diffraction Efficiency:} & >85\% \mbox{ at fc} \\ \mbox{Input Impedance:} & 50\Omega(\mbox{Nominal}) \\ \mbox{Input VSWR:} & <1.5:1 @ 110\mbox{MHz} \\ \end{array}$

Active Aperture: 7mm max, optimal for 5mm beam

Optical Insertion Loss: <3% (<2% typical)
Reflectivity: <0.5%/Surface

DC Contrast Ratio: >1000:1 min (2000:1 typical)
Laser Polarization: Vertical, Perpendicular to scan


Water Cooling (Min): 2L/minute @ 25deg C

PERFORMANCE vs. WAVELENGTH

Wavelength: 515nm Total RF Drive Power: \sim 30.0W Bragg Angle: 5.0mrad Separation Angle (at fc): 9.9mrad Scan Angle (\triangle f = 30MHz): 2.7mrad

Resolution: Up to 35 <u>resolvable</u> spots >1000 non-resolvable points

TYPICAL SCAN RESPONSE




ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

ISOMET CORP, 10342 Battleview Parkway, Manassas, VA 20109, USA.

Tel: (703) 321 8301 Fax: (703) 321 8546

E-mail: ISOMET@ ISOMET.COM Web Page: WWW.ISOMET.COM

Quality Assured. In-house: Crystal Growth, Optical Polishing, A/R coating, Vacuum Bonding




D1384-aQ110-7



High Power Acousto-Optic Deflector

0718



Water cooled case parts are Aluminium.

Refer application note AN1606 regarding Coolant Specification

DRIVERS

Synthesizer based: iMS4-L (or -P) programmable synthesizer + RFA0110-2-20 amplifier

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

ISOMET CORP, 10342 Battleview Parkway, Manassas, VA 20109, USA.

Tel: (703) 321 8301 Fax: (703) 321 8546

E-mail: ISOMET@ ISOMET.COM Web Page: WWW.ISOMET.COM

Quality Assured. In-house: Crystal Growth, Optical Polishing, A/R coating, Vacuum Bonding