

## D1135-T110L-4



## **Acousto-Optic Modulator**

0520

Compact AO Deflector designed for High Power Fibre and DPSS, NIR lasers. The unit incorporates four section acoustic beam steering to produce a flat scan response. Applications include high speed, sequential multi-point scanning or fast sweep operation.

### **SPECIFICATIONS**

 $\begin{array}{lll} \mbox{Spectral Range:} & 0.36 > 1.5 \mu m \\ \mbox{Standard A/R Wavelengths:} & 1.1 um \\ \mbox{Optical Power:} & 100 \mbox{ Watts **} \\ \end{array}$ 

Interaction Medium: Tellurium Dioxide (TeO2)

Acoustic Velocity: 4.2mm/µs

Centre Frequency (Fc): 110MHz (nominal)

RF Bandwidth: 50MHz Input Impedance: 50 $\Omega$  Nominal VSWR: <1.5:1 @ Fc

Clear Aperture: 6.5mm Active Aperture Height: 4mm

Static Insertion Loss <3% at 1.1um Reflectivity: <0.5%/Surface

Laser Polarization: Any


RF Power (total): 6 Watts nominal

Bragg Angle: 15 mrad Typical Scan Angle: 13 mrad

Cooling: Water cooled

Corrosion inhibitor strongly recommended Thermal interlock switch opens at 40degC

### **ESTIMATED SCAN PERFORMANCE at 1.1um \***



<sup>\*</sup> Single mode input

### ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE


ISOMET CORP, 10342 Battleview Parkway, Manassas, VA 20109, USA.

Tel: (703) 321 8301 Fax: (703) 321 8546

E-mail: ISOMET@ ISOMET.COM Web Page: WWW.ISOMET.COM

Quality Assured. In-house: Crystal Growth, Optical Polishing, A/R coating, Vacuum Bonding

<sup>\*\*</sup> For higher powers please contact Isomet




## D1135-T110L-4

# ISOMET

## **Acousto-Optic Modulator**

0520

#### **OUTLINE DRAWING**



### **Options**

-TC Tellurium copper case parts

### **Recommended Drivers**

RFA3110-4BS, VCO and quad power amplifier

O

iMS4-P synthesizer with AN1-110T-4-6 quad amplifier

### ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

ISOMET CORP, 10342 Battleview Parkway, Manassas, VA 20109, USA.

Tel: (703) 321 8301 Fax: (703) 321 8546

E-mail: ISOMET@ ISOMET.COM Web Page: WWW.ISOMET.COM

Quality Assured. In-house: Crystal Growth, Optical Polishing, A/R coating, Vacuum Bonding